

Twin Peaks Software High Availability and Disaster Recovery Solution For Linux Email Server

Introduction

Twin Peaks Softwares Replication Plus software is a real-time file replication tool, based on its proprietary mirroring technology. It enables fast, live file replication between two file systems on two separate servers across network, LAN or WAN. This document describes how to use the tool for a complete and robust email server solution. The same procedure described is also applicable for file/NAS and database clustering server.

Replication Plus can back up users' emails and folders to the secondary email server for further tape and disk back up processing. When equipped with Heartbeat package, the two email servers can be configured as clustering email servers to provide disaster recover capability. When the primary email server fails or is taken out of service, the secondary email server takes over the email service without delay.

Requirements

Hardware:

Two X86 systems with 1G memory and 100G+ disk space

Software:

Operating System: Red Hat Enterprise Linux version 4/5 or CentOS 4/5
Twin Peaks Software Replication Plus for Linux
Heartbeat High availability software package

Installation Procedures

It is assumed that TPS Replication Plus has been installed. For TPS Replication Plus installation information, please refer to the Replication Plus installation Guide. Software download and installation documents are available at <http://www.twinpeaksoft.com>.

It is also assumed that the primary node is named TwinJD and the secondary is named TwinES. Different names can be used as long as they are consistent in the procedures.

Email Replication

Set up the secondary email server

1. Edit /etc/exports file to export /home and /var/spool/mail directory to Primary Email server TwinJD

```
/home          *(rw, async, no_root_squash, fsid=2001)
/var/spool/mail *(rw, async, no_root_squash, fsid=2002)
```

2. Export /home and /var/spool/mail directory
exportfs -va
3. Turn off sendmail and dovecot init script in /etc/init.d directory
chkconfig sendmail off
chkconfig dovecot off
4. Create user accounts
useradd [-d home_dir] [-g initial_group] [-p passwd] [-u uid]

Please review useradd(8) man page.

Set up the primary email server

1. Create user account
User accounts should have the same user id (uid), group id(gid), password (passwd) and home directory as those created on the secondary email server TwinES.
2. Download Replication Plus Software from Twin Peaks Web site
<http://www.TwinPeakSoft.com/>
3. untar the downloaded tar file TPS_MFS_2.0_Linux_RHEL_V4_[unp/smp].tar
tar xv TPS_MFS_2.0_Linux_RHEL_V4_[unp/smp].tar
ls
Documentation Packages
4. Install the software package and the 30 days temporary license file
cd Packages
./Install

If there is MFS package installed on the system, the Install may fail and indicate that a MFS package is already installed. If so, remove the MFS package first

```
# rpm -e `rpm -q MFS`
```

Then run the Install again
./Install

5. Review TPS MFS Administration Guide before starting to use TPS Replication Plus
6. Get license_request form in Documentation directory
Fill up the license_request form and e-mail it to license@TwinPeakSoft.com to get a new license file.
7. Sync up the files on the primary and secondary email server
rsync -avz /home
rsync -avz /var/spool/mail

Depends on the size of /home and /var/spool/directories, the rsync command may take a while to complete. Please review rsync(1) man page for details.

8. All activities on /home and /var/spool/mail directories have to be quiescent

```
# /etc/init.d/sendmail stop  
# /etc/init.d/dovecot stop  
# /etc/init.d/httpd stop
```

If you are not sure how to check and stop the processes that access the /home and /var/spool/mail directories, the easiest way to ensure that is to bring the system to the single user mode.

```
# init 1
```

And then start the network

```
# /etc/init.d/network start
```

9. MFS mount the /home and /var/spool/mail directory from secondary e-mail server TwinES

```
# mount -t mfs TwinES:/home /home  
# mount -t mfs TwinES:/var/spool/mail /var/spool/mail
```

10. Check the /home and /var/spool/mail directory again
If there is change on /home and /var/spool/mail directory between the rsync and mount command, Run the mfsck command to check and make sure that they are in sync. Please Review man page of mfsck for details.

```
# mfsck -[f/b] /home  
# mfsck -[f/b] /var/spool/mail
```

11. Turn on dovecot, httpd and sendmail init scripts

```
# chkconfig sendmail on  
# chkconfig dovecot on
```

```
# chkconfig httpd on
```

12. Bring the system back to multi-user mode or restart the stopped init.d scripts

```
# init 5
```

Or

```
# /etc/init.d/sendmail start
```

```
# /etc/init.d/dovecot start
```

```
# /etc/init.d/httpd start
```

After the set up is completed, all emails come to primary server TwinJD are replicated to the secondary server TwinES. User's email folders are also replicated. The client can read and send email through primary email server TwinJD.

Client access primary email server

Window Outlook

1. Use Outlook to set up the e-mail accounts, choose IMAP as the type of server
2. For the incoming and outgoing mail server use the IP address of TwinJD

Browser

Client can use any web browser to access their email on primary email server by using

<http://www.TwinJD/webmail/>

After the set up is completed, all emails that come to primary server TwinJD are replicated to the secondary server TwinES. User's email folder are also replicated. The client can read and send email through primary email server TwinJD.

Email cluster configuration (Heartbeat Package)

The primary email server TwinJD and the secondary email server can be configured as a pair of clustering nodes. In case the primary email server TwinJD fails or is taken out for service, the secondary email server TwinES kick in automatically and continues to provide email service to their clients without delay.

1. Download the Heartbeat package
Go to <http://www.linux-ha.org/download>

Or go to <http://www.ultramoney.org/download/heartbeat/stable.latest>

For Red Hat Linux 4 or CentOS 4, download `heartbeat-2.0.4.tar.gz`

For Red Hat Linux 5 or CentOS 5, download the version equal to or higher than `heartbeat-2.0.8.tar.gz`

2. `gunzip` and `untar` the file
`# gunzip heartbeat-2.0.8.tar.gz`
`# tar xf heartbeat-2.0.8.tar`

3. Review the documentation

```
# cd heartbeat-2.0.8/doc
```

Read the `GettingStarted.[txt/html]`, `HardwareGuide.[txt/html]`, `Requirements.[txt/html]` and other documents in the directory.

4. Config the heartbeat package

From the top of the src tree, type
`# ./ConfigureMe configure`

If you see the following message, please follow step 5 to install libnet
configure: error: The following required components noted earlier are missing: libnet

If no error after running `./ConfigureMe`, continue to type

```
# make  
# make install
```

5. Install libnet package if you see the above error

- a) Go to <http://www.packetfactory.net/libnet>
Download the latest version: 1.1.2.1

- b) `gunzip` and `untar` `libnet.tar.gz`
`# gunzip libnet.tar.gz`
`# tar xf libnet.tar`

- c) From the top of the libnet src tree, type
`# ./configure`
`# make`
`# make install`

6. Configure Heartbeat run time options

Copy the `ha.cf`, `haresources`, `authkeys` files from doc directory of heartbeat src tree to `/etc/ha.d` directory

7. Edit ha.cf file and turn on the following options:

```
debugfile /var/log/ha-debug
logfile /var/log/ha-log
logfacility local0
keepalive 2
deadtime 30
warntime 10
initdead 120
udpport 694
#
# Note: the bcast will generate more traffics on the net and the log
# file /var/log/ha-log if there is another pair of clustering nodes
# running on the same subnet. One can then use ucast and a different
# udpport
#
# udpport 695
# ucast eth0 192.168.1.[210/207]
#
ucast eth0 192.168.1.150      # for ha.cf on TwinJD
ucast eth0 192.168.1.210    # for ha.cf on TwinES
auto_failback on
#
# Tell what machines are in the cluster
# node nodename ... -- must match uname -n
#node ken3
#node kathy
node TwinJD
node TwinES
```

8. Edit haresources file

```
# Assuming the administrative addresses are on the same subnet...
# A little more complex case: One service address, default subnet
# and netmask, and you want to start and stop http when you get
# the IP address...
#
#just.linux-ha.org 135.9.216.110 http
TwinJD 192.168.1.177 sendmail dovecot
```

9. Edit authkeys file

```
auth 1
1 crc
```

10. Use adduser command or the 'User and Group' GUI from Applications 'System Setting'
Add a user account hacluster.
Add a group account haclient.

11. Turn on heartbeat process
Login in as root

```
# chkconfig heartbeat on
```

12. Add IP address of newly configured cluster email sever TwinCS to /etc/hosts . The above procedures must be performed on both systems.

```
127.0.0.1          TwinJD localhost.localdomain    localhost
192.168.1.210     TwinJD
192.168.1.150     TwinES
192.168.1.177     TwinCS
```

13. Reboot both systems

14. Verify heartbeat is running

Login to the primary email server TwinJD as root, and type
ifconfig eth0

```
eth0  Link encap:Ethernet HWaddr 00:16:76:32:09:B3
inet addr:192.168.1.210 Bcast:192.168.1.255 Mask:255.255.255.0
inet6 addr: fe80::216:76ff:fe32:9b3/64 Scope:Link
UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
RX packets:1721 errors:0 dropped:0 overruns:0 frame:0
TX packets:897 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:1000
RX bytes:325596 (317.9 KiB) TX bytes:152702 (149.1 KiB)
```

```
eth0:0 Link encap:Ethernet HWaddr 00:16:76:32:09:B3
inet addr:192.168.1.177 Bcast:192.168.1.255 Mask:255.255.255.0
UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
```

The primary email server has two IP addresses, 192.168.1.210 for TwinJD and 192.168.1.177 for new cluster server TwinCS.

When the primary server fail, the standby server TwinES will take over the IP address 192.168.1.177 and continues running. This is the failover operation.

When the primary server TwinJD recovers, the TwinJD gets the IP address 192.168.1.177 back. This is the failback operation.

Type the following command to see the failover and failback sequences:

```
# tail -f /var/log/ha-log
```

Perform these mount and mfsck operations after primary server has recovered:

```
# mount -t mfs TwinES:/var/spool/mail /var/spool/mail
# mount -t mfs TwinES:/home /home
```

When the failover occurs, the secondary server TwinES takes over the email operation. So its /var/spool/mail and /home directories may get updated with the new mail arrives and there is new activities in user's home directory. After the Primary server comes back online, its /var/spool/mail and /home directories need to re-sync with the new files from secondary server TwinES. The '-b' option of mfsck handles such case. If in doubt, use '-l' interactive mode to review the difference in files between the Primary and Secondary before making the sync. Please review mfsck man page.

```
# mfsck -b /var/spool/mail
# mfsck -b /home
```

Client access email cluster

Window Outlook

1. Use Outlook to set up the email accounts. choose IMAP as the type of server.
2. For the incoming and Outgoing mail server use the IP address of TwinJD.

With the new cluster email server set up and assign a new IP address, all client email account should change to use this new IP address as the incoming and/or outgoing server.

Web Browser

Client can use any web browser to access their email on the email clustering server by using <http://www.TwinCS/webmail/>

Monitor email and folders are replicated between e-mail servers

```
Login TwinJD or TwinES as root
# tethereal -S -f tcp port 2049 and host 192.168.1.207 and host 192.168.1.210 -F snoop
```

You will see TCP NFS traffics between two nodes of clustering system whenever e-mail arrives on primary E-mail server TwinJD or a user updates the folder.